

CANDY DARING RED

# V-STROM 650XT TOURING

- // Liquid-cooled, 90-degree, V-twin delivers smooth, strong torque at all speeds
- // Electronic fuel injection helps deliver low emissions and increase fuel economy
- // Advanced electronics, such as Low RPM Assist, enhance every ride
- // Tubeless, spoke-style wheels and quick-release side cases are travel-ready
- // New Candy Daring Red color, excellent ergonomics, and DR-Big styling; ready for rolling up miles

# **2019**

# V-Strom 650XT Touring



RENOWNED FOR ITS VERSATILITY, RELIABILITY, AND VALUE, THE V-STROM 650 HAS ATTRACTED MANY RIDERS WHO USE IT FOR TOURING, COMMUTING, OR A FUN RIDE WHEN THE SPIRIT MOVES THEM. IT IS A TOUCHSTONE MOTORCYCLE BALANCED WITH A NATURAL RIDING POSITION, COMFORTABLE SEAT, AND A FLEXIBLE ENGINE CHARACTER THAT PRODUCES STRESS-FREE RIDING DURING BRIEF DAILY USE OR A HIGH-MILE ADVENTURE. THE 2019 V-STROM 650XT TOURING IS THE NEWEST MEMBER OF THE V-STROM FAMILY BY MARRYING THE LOOKS OF THE V-STROM 1000, THE TUBELESS-SPOKE WHEELS OF THE V-STROM 650XT, PLUS A SET OF SUZUKI SIDE CASES, A RUGGED ACCESSORY BAR, AND A CENTER STAND. EVEN LOADED AND READY TO TRAVEL, THIS V-STROM BOASTS STRONG ENGINE PERFORMANCE AND GREAT FUEL ECONOMY WHILE ACHIEVING WORLDWIDE EMISSION STANDARDS. A NUMBER OF ENGINEERING ACCOMPLISHMENTS RESULT IN LOW WEIGHT AND A THIN CHASSIS, PRODUCING A V-STROM THAT IS MORE VERSATILE, MORE CONTROLLABLE, AND MORE ACCESSIBLE TO ELEVATE ITS TOTAL PERFORMANCE SO IT'S SIMPLY "MORE V-STROM." AND THAT'S WHAT A RIDER WANTS: MORE OF A GOOD RIDE.

# V-STROM 650XT TOURING / FEATURES

#### **KEY FEATURES**

- // Liquid-cooled,, 645cc, 90-degree, V-twin engine delivers strong torque in the low- to mid-rpm range, yet provides a strong rush of high-rpm power that's ideal for any riding mission.
- // Suzuki's Advanced Traction Control\* System, Easy Start System, Low RPM Assist feature, plus ABS\*\* technology make a great motorcycle really incredible.
- // ADV fairing, with vertically stacked headlights and adjustable windshield, houses a multi-function, illumination-adjustable instrument panel that delivers a wealth of information.
- // The strong and light chassis with Suzuki V-Strom side cases that are easy to clip on and off and keeps the motorcycle trim when ready for touring.
- // Ready for real adventure, the V-Strom 650XT Touring has aluminum, spoke-style wheels with tubeless radial dual-sport tires, hand guards, and a protective lower engine cowl.

### **ENGINE FEATURES**

- // Using SV650 engineering, the V-Strom's DOHC, liquid-cooled engine has been tuned to deliver clean, strong power at any rpm.
- // Low-friction resin-coated pistons and SCEM-coated cylinders help deliver high mileage for class-leading touring range.
- // Engine cover hardware and select other fasteners are of a new design that permits the use of Torx or conventional hex-style tools.
- // The sleek 2-into-1 exhaust system routes below the chassis to reduce weight, centralize mass, and provide space for a narrow tail section (and optional luggage).
- // The exhaust system has twin catalyzers and employs O2 feedback to the EFI system to produce optimum combustion efficiency and reduce emissions to an incredibly low level.
- // The fuel injection system employs Suzuki's innovative SDTV (Suzuki Dual Throttle Valve) on 39mm throttle bodies. The secondary throttle valves are controlled by a servo motor for smooth power delivery.
- // Ten-hole, long-nose-type fuel injectors on each throttle body improve fuel atomization for better combustion efficiency while reducing fuel consumption.
- // Suzuki's patented Throttle-body Integrated Idle Speed Control (TI-ISC) stabilizes the engine idle speed and helps lower emissions. The system is compact and lightweight.
- // The TI-ISC on the V-Strom 650XT Touring has Suzuki's Low RPM Assist feature that seamlessly adjusts engine speed during takeoff and low-speed riding to smooth the power delivery. It also helps reduce the possibility of the rider stalling the motorcycle.

- // The Engine Control Module (ECM) provides state-of-the-art engine management and has enhanced settings to suit the updated intake and exhaust systems, resulting in better fuel economy and linear throttle response.
- // The engine has dual spark technology heads with two high-energy, slim electrode spark plugs per cylinder, which aid in combustion efficiency and power production.
- // The V-Strom 650XT Touring is equipped with Suzuki's Advanced Traction Control System\*, which lets the rider control the throttle with more confidence in various riding conditions. It continuously monitors front and rear wheel speeds, throttle opening, engine speed, and the selected transmission gear to adjust engine output if wheel spin is detected.
- // There are three traction control modes (1, 2, and OFF), and the difference between the modes is their sensitivity to road conditions. Mode 1 is lowest sensitivity level, most suitable for skilled riders or in conditions that have good road surface grip (riding on good, smooth roads). Mode 2 is highest sensitivity level, suitable for road conditions where the grip may be limited (wet or cold surfaces). OFF disengages all traction control features.
- // This V-Strom also features the Suzuki Easy Start System, which lets the rider start the motorcycle with a momentary press of the start button without pulling in the clutch lever when the transmission is in neutral.
- // The compact radiator is flanked by wind-directing plates that enhance cooling efficiency and direct heat out of the side vents away from the rider's legs.
- // The six-speed transmission suits sporty rides with tight 1st through 5th gear ratios and a tall top gear (6th gear) for highway cruising.
- // Low-maintenance, long-life sealed O-ring drive chain is standard.

### **CHASSIS** FEATURES

- // The beak-style fairing, with vertically stacked headlights and new mounting structure, helps the V-Strom 650XT Touring cut through the wind, protecting the rider in style.
- // The three-way height-adjustable windscreen was wind-tunnel tested to reduce wind sounds, buffeting, and rider fatigue.
- // The fuel tank has a generous 5.3-gallon capacity but is shaped to be thin at the rear to flow into the slimmer seat, which aids the rider in touching the ground at stops.
- // The internal construction and cap of the fuel tank is updated so the gasoline capacity is the same for both the 49-state and California versions.

CHECKOUT OUR WEBSITE FOR SPECIAL OFFERS:

# 2019SUZUKIADVENTURE

# 2019

## V-Strom 650XT Touring



# V-STROM 650XT TOURING / FEATURES

- // The spacious two-up seat combines smooth and slip-resistant surfaces, plus an embossed V-Strom logo.
- // Lightweight, rigid twin-spar aluminum frame and swingarm contribute to smooth handling performance and excellent stability.
- // Spring-preload-adjustable 43mm front forks and link-type rear suspension with rebound damping adjustment and hand-operated spring preload adjuster.
- // Spoke-style wheels, with black anodized aluminum rims laced with stainless steel spokes, absorb shock from irregular road surfaces well and accept tubeless tires.
- // Adventure-spec Bridgestone BATTLAX 19-inch front and 17-inch rear tubeless radial tires are mounted to the spoke-style wheels for all-around good performance.
- // Front dual 310mm disc brakes and a rear 260mm disc brake deliver controlled stopping power.
- // Compact Anti-lock Brake System (ABS)\*\* system monitors wheel speed to match braking to available traction.
- // The lightweight resin luggage rack incorporates easy-to-grasp grab bars and aligns with the passenger section of the seat, offering a larger surface for carrying cargo or luggage.
- // The V-Strom 650XT Touring is ready to carry the gear you need with its Suzuki side cases that are keyed to match the motorcycle's ignition key and can be removed and installed in seconds.
- // The V-Strom 650XT Touring also comes with a rugged accessory bar, hand guards, a protective lower engine cowl, and a center stand that makes chain service easy.

### **ELECTRICAL FEATURES**

- // The multi-function instrument panel is similar in appearance to the V-Strom 1000 panel but has functions unique to the V-Strom 650XT Touring.
- // The instrument set includes an analog tachometer and brightness-adjustable LCD speedometer and control panel.

- // LCD readouts include odometer, dual trip meter, traction control modes, gear position, coolant and ambient temperature, fuel consumption, fuel gauge, and clock. Switching between readings can be done with the left handlebar switch.
- // LED indicators include an ABS alert and a freeze warning icon, which together with the air temperature display warn of possible icy road conditions.
- // Strong three-phase charging system supplies the 10Ah maintenance-free battery for easy starting and additional accessory power. A dedicated accessory fuse is located under the seat.
- // The stacked, 65/55-watt halogen headlamps illuminate the road when your ride stretches into night.
- // The LED tail and brake light is bright and vibration resistant. The turn signals use bright amber incandescent bulbs with clear lenses.
- // A handy 12-volt DC accessory outlet is mounted on the inner dash.

#### **ADDITIONAL FEATURES**

- // Genuine Suzuki Accessories include top cases, engine guards, low- and high-profile seats, heated grips, and more.
- // Suzuki 12-month limited warranty. Longer coverage periods with other benefits available through Suzuki Extended Protection (SEP).
- // For more details, please visit www.suzukicycles.com.
- \* The traction control system is not a substitute for the rider's throttle control. It cannot prevent loss of traction due to excessive speed when the rider enters a turn and/or applies the brakes. Nor can it prevent the front wheel from losing grip.
- \*\* Depending on road surface conditions, such as wet, loose, or uneven roads, braking distance for an ABS-equipped vehicle may be longer than for a vehicle not equipped with ABS. ABS cannot prevent wheel skidding caused by braking while cornering. Please drive carefully and do not overly rely on ABS.



# V-STROM 650XT TOURING / SPECS

**ENGINE** 

**Engine:** 645cc, 4-stroke, liquid-cooled,

DOHC 90°, V-twin

**Bore x Stroke:** 81.0 mm x 62.6 mm (3.2 in. x 2.5 in.)

Compression Ratio: 11.2:1

Suzuki fuel injection, SDTV-equipped **Fuel System:** 

Starter: Electric **Lubrication:** Wet sump

**DRIVE TRAIN** 

6-speed constant mesh **Transmission:** Clutch: Wet, multi-plate type **Final Drive:** Chain, RK 525, 114 links

**CHASSIS** 

Suspension, Front: Telescopic, coil spring, oil damped Suspension, Rear: Link type, single shock, coil spring,

oil damped

Tokico, 2-piston calipers, twin disc, **Brake, Front:** 

ABS-equipped

Brake, Rear: Nissin, 1-piston, single disc, ABS-equipped

Tire, Rear: 150/70R17 M/C (69V), tubeless Fuel Tank Capacity: 20.0 L (5.3 US gal.)

### **ELECTRICAL**

**Ignition:** Electronic ignition (transistorized)

Spark Plug: NGK MR8E-9

**Headlight:** 12V 65W (H9 high-beam) and

12V 55W (H7 low-beam)

Taillight:

**DIMENSIONS\*** 

**Overall Lenath:** 2275 mm (89.6 in.) **Overall Width:** 910 mm (35.8 in.) 1405 mm (55.3 in.) **Overall Height:** Wheelbase: 1560 mm (61.4 in.) Ground Clearance: 170 mm (6.7 in.) **Seat Height:** 835 mm (32.9 in.)

216 kg (476 lb.) No accessories installed **Curb Weight:** 

233 kg (514 lb.) Approximate weight with Touring accessories installed

\* Does not include Touring accessories

