

C 90 B.O.S.S. BOULEVARD



METALLIC GLEAM GRAY

BOULEVARD C90 B.O.S.S.

- // Blacked Out Special Suzuki (B.O.S.S.) styling
- // 1462cc, fuel injected, liquid-cooled, SOHC, 54-degree, V-twin engine
- // Smooth-shifting five-speed transmission with shaft drive
- // Beefy tires on wide rims roll under front and rear valance-style fenders
- // Buckhorn-style handlebars and a wide, plush seat with a low height of 28.3 inches deliver all-day comfort



GLASS SPARKLE BLACK



C 90 B.O.S.S. Boulevard

PERFORMANCE NEVER LOOKED SO GOOD, OR SO DARK. THE SUZUKI BOULEVARD C90 B.O.S.S. REWARDS YOU WITH A STRIKING COMBINATION OF BLACKED OUT STYLING AND HEART-POUNDING PERFORMANCE, THANKS TO ITS 90 CUBIC INCH, FUEL INJECTED, V-TWIN ENGINE. ALONG WITH THE AGGRESSIVE BLACKED OUT SPECIAL SUZUKI (B.O.S.S.) STYLING AND STUNNING PERFORMANCE, THIS BIKE FEATURES A SPACIOUS RIDING POSITION AND LARGE FLOORBOARDS FOR COMFORTABLE CRUISING, MATCHED BY PRECISE, AGILE HANDLING PROVIDED BY ITS RIGID CHASSIS AND ADVANCED SUSPENSION.

BOULEVARD C90 B.O.S.S. / FEATURES

KEY FEATURES

- // New Metallic Gleam Gray or Glass Sparkle Black colors and complementary graphics combine with the Blacked Out Special Suzuki (B.O.S.S.) styling to create a visually stunning cruiser that lives up to its looks by delivering a great ride.
- // Ninety cubic inch (1462cc), 54-degree, V-twin engine rumbles through dual pipes as it smoothly puts down power that's at home in town or out on the highway.
- // With a light pull, the clutch feeds engine power to the smooth-shifting fivespeed transmission and out to the clean shaft drive.
- // Riders settle in behind wide, buckhorn-style handlebars, with feet comfortably on forward-mount floorboards, while sitting on a plush seat that's just 28.3 inches above the ground.
- // The classically styled 4.8-gallon fuel tank complements the large valance fenders that hover over the wide 16-inch rear and 17-inch front tires mounted on cast aluminum wheels.
- // Brushed, stainless steel covers shield the stout front fork, whereas a hidden, link-style rear shock smooths the ride while giving the bike an old-school, hard-tail look.

ENGINE FEATURES

- // Liquid-cooled, 90 cubic inch (1462cc), long-stroke, V-twin engine delivers the most power and torque in the class.* Outstanding low- to mid-range output means smooth acceleration and comfortable long-range cruising characteristics. *1000 to 1600cc class
- // Sculpted powerplant features blacked out engine and air cleaner covers that complement the visually striking cylinders with symmetrical cooling fins.
- // The aluminum alloy cylinders are coated with Suzuki Composite Electrochemical Material (SCEM), a coating of nickel-phosphorus-silicon carbide that reduces friction and increases heat transfer. The result is increased durability and ring seal.
- // Each piston's upper compression ring and oil control ring are given a chromenitride coating to make them harder and smoother to further reduce friction.
- // Four-valve cylinder heads with overhead camshafts and dual spark plugs increase combustion efficiency to help ensure seamless throttle response, gutsy low- to mid-range output, better fuel efficiency, and reduced emissions.
- // To further reduce mechanical sounds, each cylinder head's cam cover is separated from the cam bearing caps, and a rubber gasket is used between the cylinder head and the cam cover.
- // Suzuki Dual Throttle Valve (SDTV) induction system is enhanced by the 32-bit engine control unit that instantly delivers the optimum fuel-air mixture and power output. This system – it's the same design used in Suzuki championship-winning GSX-R sportbikes – delivers seamless throttle response while boosting fuel efficiency and delivering strong torque.
- // Auto Fast Idle System (AFIS) automatically sets the throttle-valve opening during cold-engine starts by monitoring coolant temperature.
- // To maximize air induction for best power and torque, the C90 B.O.S.S. features a unique system that uses three separate air-cleaner boxes feeding the engine. This air induction system increases engine output without sacrificing style or fuel tank capacity.

- // The Suzuki Clutch Assist System (SCAS) reduces the force needed to pull in the clutch lever, so clutch operation remains light. The clutch features backtorque-limiting clutch system, contributing to smooth downshift operation.
- // Blacked out, dual exhaust system mounted on the right side of the engine is tuned for responsive torque delivery, providing a deep, rumbling exhaust note.
- // A wide-ratio five-speed transmission features a high fifth-gear ratio for relaxed highway cruising.
- // Low-maintenance shaft drive is clean-running and has minimal torque reaction, as it efficiently transmits power to the wide 16-inch rear tire.

CHASSIS FEATURES

- // The appeal of classic styling is combined with the benefits of modern performance, with the steel-tube frame comfortably carrying the rider and confidently housing the powerful engine.
- // The styling incorporates a modern take on classic cruiser visuals with rich paintwork, blacked out suspension and chassis components, plus deep front and rear fenders with flared ends.
- // Additional cruiser-friendly features include well-positioned footboards, 4.8-gallon fuel tank, and shaft drive.
- // Design engineers focused on creating an ideal rider's triangle footboards, handlebars, and seat positions set to deliver classic control with outstanding comfort.
- // Both rider and passenger seats are made for comfort and top-notch control. They allow freedom of movement, accommodate riders of different sizes, and are well-cushioned.
- // Wide passenger seat makes for comfortable two-up rides. Its stepped location on the rear fender allows the passenger to see over the rider's shoulder.
- // The design of the link-type rear suspension maintains classic hard-tail look, while keeping the ride low and producing a smooth, ground-hugging ride.
- // Stout telescopic front forks deliver generous 5.1 inches of smooth wheel travel, and the long 65.9-inch wheelbase provides a smooth, comfortable ride.
- // A beefy 16-inch rear tire and complementary 17-inch front tire have wide footprints and are mounted to black, cast-style wheels for a robust cruiser look.
- // Hydraulic front and rear disc brakes provide strong, reliable braking performance.
- // The multifunction instrument includes a convenient gear-position indicator and a fuel gauge, along with a clock and a trip meter, plus indicator lights for low fuel, turn signals, and more.
- // Bright multi-reflector headlight. Durable, efficient, and compact LED tail light and four bullet-style turn signals.

ADDITIONAL FEATURES

- // A variety of Genuine Suzuki Accessories for Boulevard owners are available, including a large selection of Suzuki logo apparel.
- // Suzuki 12-month limited warranty. Longer coverage periods with other benefits available through Suzuki Extended Protection (SEP).
- // For more details, please visit <u>www.suzukicycles.com</u>.



C 90 B.O.S.S. BOULEVARD

BOULEVARD C90 B.O.S.S. / SPECS

ENGINE

Engine:

Bore x Stroke: Compression Ratio: 9.5:1 **Fuel System:** Starter: Lubrication:

1462cc, 4-stroke, liquid-cooled, SOHC, 54°, V-twin 96.0 mm x 101.0 mm (3.78 in. x 3.98 in.) Suzuki fuel injection with SDTV Electric Wet sump

DRIVE TRAIN

Transmission: Clutch: **Final Drive:**

CHASSIS

Suspension, Front: Suspension, Rear:

Brake, Front: Brake, Rear: Tire, Front: Tire. Rear: Fuel Tank Capacity: 18.2 L (4.8 US gal.)

Telescopic, coil spring, oil damped Link type, solo shock, coil spring, oil damped Disc brake Disc brake 130/80R 17 M/C 65H, tubeless 200/60R 16 M/C 79H, tubeless

5-speed constant mesh

Wet, multi-plate type

Shaft drive

ELECTRICAL

Ignition: **Spark Plug: Headlight: Taillight:**

DIMENSIONS

Overall Length: Overall Width: Overall Height: Wheelbase: Ground Clearance: 140 mm (5.5 in.) Seat Height: **Curb Weight:**

Electronic ignition (transistorized) NGK CPR6EA-9 or DENSO U20EPR9 12V 60/55W H4 I FD

2560 mm (100.8 in.) 990 mm (39.0 in.) 1135 mm (44.7 in.) 1675 mm (65.9 in.) 720 mm (28.3 in.) 344 kg (758 lb.)



Suzuki Motor of America, Inc. makes every effort to present the most current specifications and product features at the time of publication. Because of our policy of continual improvement, changes may be made in equipment, availability, and specifications without notice or obligation. At Suzuki, we want every ride to be safe and enjoyable. Always wear a helmet, eye protection, and protective clothing. Never ride under the influence of alcohol or other drugs. Study your owner's manual and always inspect your Suzuki before riding. Always supervise young riders. Take an MSF skills course. For the street course nearest you, call 1-800-446-9227. Preserve your future riding opportunities by showing respect for the environment, local laws, and the rights of others when you ride. Limited Warranty: The 2019 Boulevard C90 B.O.S.S. limited warranty covers a period of 12 months. See your dealer for details. Ask your participating dealer about Genuine Suzuki Accessories, the Suzuki Retail Finance Plan, and the Suzuki Extended Protection Plan. With the Suzuki Retail Finance Plan it's easy to afford and equip the machine that's perfect for you. Visit Suzukicycles.com for more information. Suzuki Motor of America, Inc., 3251 East Imperial Highway, P.O. Box 1100, Brea, CA 92822-1100. Suzuki, the "S" logo, and Suzuki model names are Suzuki trademarks or registered trademarks. ©2018 Suzuki Motor of America, Inc.