

CHAMPIONSHIP YELLOW NO. 2

# **RMX450**Z

- // Enduro-ready off-road bike based on the RM-Z450
- // Electric starting with kick-start back-up
- // Hinged airbox lid for fast service
- // Competition-ready instruments and lighting
- // Black anodized wheels with 18-inch rear rim

# 2019





POWERED BY A TORQUEY, FUEL-INJECTED, 449CC ENGINE, THE 2019
RMX450Z IS THE MOTORCYCLE THAT'S IDEAL FOR SERIOUS OFF-ROAD
WORK OR JUST A FUN DAY ON THE TRAILS. EVERYTHING YOU NEED
TO TAKE THE LEAD OFF ROAD IS HERE, STARTING WITH THE SLIM,
AGGRESSIVELY-STYLED CHASSIS AND BODYWORK. TOSS IN THE
PUSH-BUTTON ELECTRIC STARTER, THE FULL-FUNCTION, TWO-MODE
INSTRUMENT CLUSTER, AND ENDURO LIGHTING, AND YOU HAVE THE
CONVENIENCES THAT TAKE THE WORRY OUT OF YOUR RIDE. SHARING
CORE ENGINE AND CHASSIS TECHNOLOGY—PLUS NEW BODYWORK
COLORS AND GRAPHICS—WITH SUZUKI'S CHAMPIONSHIP-WINNING
OPEN-CLASS MOTOCROSSER. THE RMX450Z REWRITES THE RULES

# RMX450Z / FEATURES

FOR SERIOUS TRAIL RIDERS.

### **KEY FEATURES**

- // Fuel-injected engine is based on Suzuki's winning open-class motocrosser, the RM-Z450.
- // The RMX450Z is EPA Emissions and California red sticker compliant.
- // Trail-ready features include an electric starter powered by a compact battery (plus kick-start back-up), a coolant reservoir tank, and an engine protector plate.
- // Enduro ready, full-function instrument cluster includes a low fuel level warning light.
- // The airbox features a hinged lid for quick air filter maintenance.
- // Aluminum alloy twin-spar frame features a high-performance Showa fork and piggyback reservoir style rear shock.
- // Competition-developed seat and slim bodywork creates a controllable, ergonomic riding position.
- // The racing-inspired bodywork and new graphics for 2019 include a sturdy steering stem that is anodized black, complementing the gold fork leg finish.
- // Black anodized Excel aluminum rims are ready to withstand rugged off-road conditions.

## **ENGINE FEATURES**

- // The RMX450Z's 449cc, four-stroke, four-valve, liquid-cooled, fuel-injected, DOHC power plant is based on the high-performance and reliable RM-Z450.
- // Minimal differences as compared to the RM-Z450 motocross engine include a modified inlet tract and revised cam profiles to increase low- and mid-rpm power.
- // The compact aluminum cylinder is finished with Suzuki Composite Electrochemical Material (SCEM) coating for durability, light weight, and efficient heat transfer.
- // A larger magneto generator is fitted to charge the battery and power the lights. The increased mass on the crankshaft also aids traction.
- // Advanced fuel injection system makes for extra-smooth power delivery, high fuel efficiency, and superb reliability.
- // The airbox features a hinged lid for quick air filter maintenance and better protection from debris.
- // The coolant reservoir tank has a specially located filler cap for easy access.

## **TRANSMISSION FEATURES**

// Strong five-speed transmission with wide gear ratios and primary/final drive ratios have been selected to suit various situations from steep trails to open terrain.

### **CHASSIS FEATURES**

- // The aluminum alloy twin-spar frame combines cast and extruded sections to achieve low weight with high rigidity and durability.
- // RM-Z450-derived trail-ready suspension uses high-performance Showa forks with full adjustability.
- // Aluminum link-style swingarm is descended from the RM-Z line and uses a fully adjustable Showa piggyback reservoir style rear shock.
- // Rear suspension linkage geometry combines the RM-Z series' renowned turning-on-rails abilities with optimized handling performance for trail rides.
- // Race-inspired waved disc rotors are mounted to black Excel aluminum rims with stainless steel spokes.
- // High-impact, black plastic fork leg and rear brake rotor and caliper protectors shield these components from trail obstacles.
- // The standard Renthal Fatbar is stronger and reduces vibration better than conventional aluminum handlebars.
- // Bright 35-watt headlight is smoothly incorporated into the front number plate.
- // Trim, low-draw LED tail light is neatly tucked under the lip of the rear fender.
- // The full-function, dual (sport/standard) mode instrument cluster is in a durable, ultra-compact housing.
- Sport mode simply shows timer, tripmeter, average speed, and tire-diameter correction (to reduce information during spirited riding or competition).
- o Standard mode also shows speed, time, two trip lengths, and voltage.
- The instrument's integrated tire diameter calculator allows precise fine-tuning for different tires to ensure accuracy of the speed and distance displays.
- $\circ$  Instruments include a low fuel level warning light.
- // Champion Yellow bodywork (including yellow fenders and white front number plate) comes with race team-inspired graphics package.
- // Gripper seat, with projected cross-shaped patterns on its blue top surface, aids rider control.

## **ADDITIONAL FEATURES**

- // Suzuki six-month limited warranty. Longer coverage periods with other benefits are available through Suzuki Extended Protection (SEP).
- // The RMX450Z is eligible for the Suzuki Competition Contingency Program. See Suzuki industry-leading contingency programs at www.SuzukiCycles.com/Racing.
- // A variety of Genuine Suzuki Accessories for RMX450Z owners are available, including a large selection of Suzuki logo apparel.
- // For more details, please visit www.suzukicycles.com.





# RMX450Z / SPECS

**ENGINE** 

Engine: 449cc, 4-stroke, liquid-cooled,

single cylinder, DOHC

**Bore x Stroke:** 96.0 mm x 62.1 mm (3.78 in. x 2.40 in.)

Compression Ratio: 11.6:1

Fuel System: Fuel injection, 41mm throttle body
Starter: Electric with back-up kickstarter

**Lubrication:** Semi-dry sump

**DRIVE TRAIN** 

Clutch: Wet multi-plate

**Transmission:** 5-speed constant mesh **Final Drive:** Chain, DID 520MXV, 114 links

CHASSIS

Suspension, Front: Inverted telescopic, coil spring, oil damped,

adjustable damping force

Suspension, Rear: Link type, coil spring, oil damped, adjustable

spring preload and damping force

Brake, Front:

Brake, Rear:
Disc brake, single rotor

**ELECTRICAL** 

**Ignition:** Electronic ignition (CDI)

Spark Plug: NGK CR8EIB-10 Headlight: 12V 35W

Tail Light: LED

**DIMENSIONS** 

 Overall Length:
 2185 mm (86.0 in.)

 Overall Width:
 840 mm (33.1 in.)

 Overall Height:
 1265 mm (49.8 in.)

 Wheelbase:
 1485 mm (58.5 in.)

 Ground Clearance:
 320 mm (12.6 in.)

 Seat Height:
 950 mm (37.4 in.)

 Curb Weight:
 123.5 kg (272 lb.)



2019 SUZUKIOFFROAD

Suzuki Motor of America, Inc. makes every effort to present the most current specifications and product features at the time of publication. Because of our policy of continual improvement, changes may be made in equipment, availability, and specifications without notice or obligation. At Suzuki, we want every ride to be safe and enjoyable. Always were a helmet, eye protection, and protective clothing. Never ride under the influence of alcohol or other drugs. Study your owner's manual and always inspect your Suzuki before riding. Always supervise young riders. Take an MSF skills course. For the street course nearest you, call 1-800-446-9227. For the MSF DirtiBike School<sup>SM</sup>, call 1-877-288-7093. Along with concerned conservationists everywhere, Suzuki urges you to Tiread Lightly!<sup>SM</sup> on public and private land. Preserve your future riding opportunities by showing respect for the environment, local laws, and the rights of others when you ride. Limited Warranty: The 2019 RMX450Z limited warranty covers a period of six months. See your dealer for details. Ask your participating dealer about Genuine Suzuki Retail Finance Plan, and the Suzuki Extended Protection Plan. With the Suzuki Retail Finance Plan, it's easy to afford and equip the machine that's perfect for you. Visti Suzukicycles.com for more information. Suzuki Motor of America, Inc., 3251 East Imperial Highway, P.O. Box 1100, Brea, CA 92822-1100. Suzuki, the "S" logo, and Suzuki model names are Suzuki trademarks or registered trademarks. © 2018 Suzuki Motor of America, Inc.