





METALLIC CRYSTAL BLUE/PEARL GLACIER WHITE NO. 2

GSX250R ABS

- // Here's a quarter-liter sportbike with styling true to the Suzuki sportbike heritage
- // Fuel injected engine delivers a responsive power band with class-leading fuel economy
- // LCD instrument panel, distinctive position lamps, and tail light use surface-emitting LEDs
- // Comfortable ergonomics with a slim fuel tank and low seat height
- // Ten-spoke wheels, ABS-equipped* disc brakes, and KYB suspension are ready for any riding assignment





THE 2019 GSX250R ABS IS A FULLY FAIRED STREET MACHINE THAT BRINGS THE EXCITEMENT AND RIDING SATISFACTION OF SUZUKI'S SPORTBIKE HERITAGE TO A BROADER AUDIENCE. BUILT TO INTRODUCE SUZUKI FUN AND RELIABILITY TO NEW RIDERS, THIS SPORTBIKE HAS SMART PERFORMANCE, ENGAGING STYLING, AND COMFORT FEATURES THAT WILL APPEAL TO A BROAD BASE OF ENTHUSIASTS.

THIS APPROACHABLE STREET SPORTBIKE FEATURES A PROVEN, TWIN CYLINDER, FUEL INJECTED ENGINE WRAPPED IN STYLISH FULL-FAIRING BODYWORK. WITH RESPONSIVE YET EASY-TO-CONTROL PERFORMANCE, EXCEPTIONAL FUEL EFFICIENCY, NIMBLE HANDLING, AND A COMFORTABLE RIDING POSITION, THE GSX250R ABS IS EQUALLY AT HOME ON THE DAILY COMMUTE AS IT IS ON EXTENDED OUTINGS.

A LOW SEAT HEIGHT, SLIM FUEL TANK AND OVERALL LIGHT WEIGHT MAKE THE GSX250R ABS AN EXCITING AND UNINTIMIDATING RIDE. TEN-SPOKE ALUMINUM WHEELS, ANTI-LOCK BRAKES (ABS*), AND TUNED KYB SUSPENSION KEEP THE BIKE NIMBLE AND RESPONSIVE FOR CITY STREETS AS WELL AS OPEN ROADS. WITH A FOUR-GALLON FUEL TANK AND HIGHLY EFFICIENT POWERPLANT, THE GSX250R HAS A RIDING RANGE OF WELL OVER 250 MILES.

THE GSX250R ABS IS PART OF SUZUKI'S UNRIVALED SELECTION OF SMALL-DISPLACEMENT MOTORCYCLES CREATED SPECIFICALLY TO APPEAL TO A VARIETY OF RIDERS. FROM THE UNIQUE VANVAN 200 TO THE FUEL EFFICIENT DR200S DUALSPORT TO THE CLASSIC-LOOKING TU250X TO THE GSX250R SPORTBIKE, SUZUKI PROVIDES AN ASSORTMENT OF SENSIBLE, ACCESSIBLE MODELS TO CHOOSE FROM.

GSX250R ABS / **FEATURES**

KEY FEATURES

- // Here's a fully-faired, quarter-liter sportbike with aggressive, flowing styling true to the Suzuki sportbike heritage. The Metallic Crystal Blue/Pearl Glacier White paint scheme brings big bike quality to the 250 class.
- // Fuel injected, twin cylinder engine delivers a responsive, broad power band with class-leading fuel economy of approximately 76 mpg.
- // The GSX250R ABS features a reverse-lit LCD instrument panel and a bright halogen headlight, plus distinctive position lamps and tail light using new tech, surface-emitting LEDs.
- // Comfortable, roomy ergonomics for rider and passenger, with a slim fuel tank that helps the rider easily plant their feet on the ground when stopped.
- // Ten-spoke, cast aluminum wheels, petal-type brake rotors, and quality KYB suspension components round out a chassis ready for any riding assignment.

ENGINE FEATURES

- // The 248cc, parallel-twin engine that powers the GSX250R ABS has been refined to maximize low- to mid-range torque to deliver a power characteristic that emphasizes ease of control.
- // Intelligent engine design and fuel-injection (EFI) tuning yields class-leading fuel economy while satisfying worldwide emission requirements.
- // The EFI also stabilizes the engine idle and helps provide nearly linear throttle response for clean, exciting performance.
- // The camshaft profile maximizes engine performance when riding at road speeds of 15 to 55 mph. This helps the GSX250R ABS deliver true, practical performance.
- // The valve train employs roller-type rocker arms for valve actuation to reduce mechanical losses.
- // The intake valves have a slim stem profile near the head to optimize airflow into the combustion chamber.
- // Low-tension piston rings are used to reduce friction, while a special honing pattern on the cylinder wall increases oil retention for additional friction reduction.
- // A coupling-type balancer shaft fitted to the engine's crankshaft reduces vibration and enhances rider comfort.
- // A uniquely style oil pump is used in the GSX250R ABS to reduce frictional loss while providing excellent engine lubrication.
- // Dual head-pipes effectively route the exhaust through a high-flow catalyzer and into a stylish solo muffler covered with a buffed stainless steel shield.
- // Designed to get the most out of the engine's mid-range performance and emit a pleasing sound, the GSX250R ABS's exhaust is lightweight and stylish.
- // A six-speed transmission, with gear ratios well-mated to the engine output, further improves low- to mid-range power delivery.

CHASSIS FEATURES

- // Suzuki's sporting essence is present in the GSX250R AB5's full bodywork that features an aggressive style with a futuristic flair. Select styling cues from historic and current Suzuki sportbikes appeal to both new and experienced riders.
- // The fairing routes cooling air to the radiator while moving hot air from the engine away from the rider.
- // The front of the motorcycle features unique dual LED position lights, angular fairing-mounted mirrors, and an effective sport windshield that incorporates slots to reduce wind buffeting.
- // The sharp tail has styling and an LED tail light reminiscent of a GSX-R1000R.
- // The stylish and trim fuel tank holds 4.0 US gallons (15.0 liters) of gasoline for excellent riding range. With a full tank of gasoline, the GSX250R ABS has a riding range of approximately 280 miles.
- // The comfortable, contoured rider's seat has a low seat height of 31.1 inches (790mm).
- // The separate rear seat is set higher so the passenger has a better view over the rider's shoulder.
- // The semi double-cradle frame provides exceptional support for the GSX250R ABS's effective running gear and exciting bodywork.
- // The well-tuned telescopic front fork soaks up bumps for smooth tracking up front whether riding irregular city streets or faster open roads.
- // Rear suspension action is handled by a mono-shock system that stays hidden from view to augment the bike's performance style. With seven-way adjustable spring preload, the rear suspension can be tuned for a passenger or cargo.
- // The clip-on handlebar's design and reach were developed to provide a comfortable riding position.
- // The five-way adjustable front brake lever allows the rider to position the lever for comfort and confidence.
- // Hydraulic, antilock-equipped (ABS*) disc brakes front and rear grasp petalstyle stainless steel rotors to provide consistent and controlled braking whether commuting on city streets or roaming the open road.
- // Ten-spoke 17-inch cast aluminum wheels hold road-grabbing IRC tires that provide sporting performance through a variety of road conditions.



SUZUKICYCLES.COM





GSX250R ABS / **FEATURES**

ELECTRICAL FEATURES

- // The GSX250R is equipped with a back-lit multifunction LCD instrumentation panel that displays a variety of information.
- // At the top of the display is a bar-graph tachometer, and in the center is a large digital speedometer with a convenient digital clock and digital gear position indicator.
- // Also present in the panel is an odometer, twin trip meter, fuel gauge readouts, and a service reminder. A bright, programmable shift light is joined by LED alert indicators for the turn signals, engine functions, ABS, and high
- // The bright halogen headlight is bracketed by a pair of distinctive position lamps using high-tech, surface-emitting LEDs.
- // The rear tail light also uses surface-emitting LEDs for excellent visibility to traffic
- // The turn signals feature amber incandescent bulbs with clear lenses and are well placed to not interfere with a passenger or luggage.
- // Projected tip-style spark plugs speed up the rate of combustion, improving throttle response and fuel economy.
- // The GSX250R ABS uses an open-type regulator/rectifier to reduce chargingsystem draw that can rob power from the engine. A maintenance-free battery makes sure the motorcycle starts quickly each time.

ADDITIONAL FEATURES

- // Three-dimensional "S" badges on the fairing and upper fork bracket celebrate the Suzuki brand and its heritage of technological and styling excellence.
- // A variety of Genuine Suzuki Accessories for GSX250R ABS owners are available, including a large selection of Suzuki logo apparel.
- // Suzuki 12-month limited warranty with unlimited mileage. Longer coverage periods with other benefits are available through Suzuki Extended Protection (SEP).
- // For more details, please visit www.suzukicycles.com.
- * Depending on road surface conditions, such as wet, loose, or uneven roads, braking distance for an ABS-equipped vehicle may be longer than for a vehicle not equipped with ABS. ABS cannot prevent wheel skidding caused by braking while cornering. Please ride carefully and do not overly rely on ABS.





GSX250R ABS / SPECS

ENGINE Engine:

4-stroke, liquid-cooled, SOHC, parallel-twin

Displacement: 248 cm³ (15.1 cubic in.)

Bore x Stroke: 53.5 mm x 55.2 mm (2.10 in. x 2.17 in.)

Compression Ratio: 11.5:1

Fuel System: Suzuki fuel injection

Starter: Electric Lubrication: Wet sump

DRIVE TRAIN

Transmission: 6-speed constant mesh **Clutch:** Wet, multi-plate type

Final Drive: Chain, sealed O-ring type, DID 520VF or

RK 520 KRO, 116 links

CHASSIS

Suspension, Front: Telescopic, coil spring, oil damped
Suspension, Rear: Single shock, coil spring, oil damped
Brake, Front: Nissin 2-piston caliper, single disc,

ABS-equipped

Brake, Rear: Nissin 2-piston caliper, single disc,

ABS-equipped

Tire, Front: 110/80-17M/C 57H tubeless **Tire, Rear:** 140/55-17M/C 66H tubeless

Fuel Tank Capacity: 15.0 L (4.0 US gal.)

ELECTRICAL

Ignition: Electronic ignition (transistorized) **Headlight:** 12V 55/60W (H4 halogen) and

LED position lights

Taillight: LED

DIMENSIONS

 Overall Length:
 2085 mm (82.1 in.)

 Overall Width:
 740 mm (29 in.)

 Overall Height:
 1110 mm (43.7 in.)

 Wheelbase:
 1430 mm (56.3 in.)

 Ground Clearance:
 160 mm (6.3 in.)

 Seat Height:
 790 mm (31.1 in.)

Curb Weight: 181 kg (399.0 lb.) ABS-equipped



Suzuki Motor of America, Inc. makes every effort to present the most current specifications and product features at the time of publication. Because of our policy of continual improvement, changes may be made in equipment, availability, and specifications without notice or obligation. At Suzuki, we want every ride to be sofe and enjoyable. Always wear a helmet, eye protection, and protective clothing. Never ride under the influence of alcohol or other drugs. Study your owner's manual and always inspect your Suzuki before riding. Always supervise young riders. Take an MSF skills course. For the street course nearest you, call 1-800-446-9227. Preserve your future riding opportunities by showing respect for the environment, local laws, and the rights of others when you ride. Limited Warranty: The 2019 GSX250R ABS limited warranty covers a period of 12 months. See your dealer for details. Ask your participating dealer about Genuine Suzuki Accessories, the Suzuki Retail Finance Plan, and the Suzuki Extended Protection Plan. With the Suzuki Retail Finance Plan it's easy to afford and equip the machine that's perfect for you. Visit Suzukicycles.com for more information. Suzuki Motor of America, Inc., 3251 East Imperial Highway, P.O. Box 1100, Brea, CA 92822-1100. Suzuki, the "S" logo, and Suzuki model names are Suzuki trademarks or registered trademarks. ©2018 Suzuki Motor of America, Inc.