

2012 ITU250X

2012 TU250X



MSRP: \$4,099

Tradition comes alive in the Suzuki TU250X. With its classic styling, including spoked wheels, a round headlight and sweptback muffler - and plenty of chrome - it's designed to remind everyone that motorcycling is all about fun. That all begins with light, agile handling complemented by smooth performance. Best of all, it's designed to combine the fun of riding with truly economical performance

This complete package is a classic standard motorcycle with a Suzuki fuel-injected single-cylinder Suzuki engine that matches modern conveniences and reliable performance with impressive fuel efficiency.

For 2012, the TU250X is available in Silver/Black.

* Not available in California





TOP 10 FEATURES



Chrome spoked wheels are both practical, lightweight, strong and give the TU250X classic retro styling and presence.



Large rounded fuel tank gives the TU250X classic styling and proportions while its large 3.2 gallon fuel capacity and Suzuki fuel-injected engine - together with an impressive fuel efficiency provide a class-leading riding range.



Low 30.3-inch seat height and compact chassis make the TU250X the ideal choice for the beginning rider, offering a comfortable, ergonomic riding position to suit a wide range of riders.



Diamond-shaped steel tube frame is lightweight and strong, producing confident and agile handling. Together with the contemporary styling thanks to chrome-plated front and rear wheels, headlight case, speedometer cover, tail lamp housing, front suspension outer tube and polished crank side case produce a beautiful, high quality look.



Lightweight telescopic coil spring front suspension design with oil damping. The front suspension outer tube is chrome plated for a beautiful, highquality look with classic styling.



Front disc brake with dual-piston caliper and rear drum brakes give the TU250X class-leading modern braking performance to complement its classic styling.



249cc four-stroke single-cylinder engine features a simple, lightweight, air-cooled SOHC design with class-leading Suzuki fuel injection, and produces strong low-RPM torque, which makes the TU250X a perfect choice for the city rider.



Suzuki fuel injection – a Suzuki-exclusive state-of-the-art fuel injection design developed through Suzuki racing technology, provides better fuel efficiency, strong throttle response on the road and easy starting. Effective engine management and emissions control systems workin together with Suzuki Dual Throttle Valve (SDTV) fuel injection system, featuring 32mm throttle body, provides superb throttle response, smooth power delivery and reduced emissions.



Suzuki Composite Electrochemical Material (SCEM)-plated cylinder allows for improved heat transfer, light weight and tighter piston clearance, for unrivaled reliability, durability and performance on the road.



Low-slung tapered chrome muffler. Exhaust system is outfitted with a catalytic converter and oxygen sensor feedback system reducing exhaust emission.



SUZUKI EDGE									
MODEL NAME:	2012 Suzuki TU250X	SUZUKI EDGE	2012 Yamaha V-Star 250	2012 Honda Rebel	2012 Kymko Venox 250				
MSRP:	\$4,099	The TU250X combines classic styling and industry-leading modern performance features like Suzuki fuel injection and front disc brakes at a class-leading value. The TU250X's low MSRP is \$91 less than the Yamaha V-Star 250 and Honda Rebel.	\$4,190	\$4,190	\$3,999				
ENGINE									
Bore Stroke:	72.0mm x 61.2mm	The TU250X features optimal bore and stroke dimensions from its compact, single cylinder design, providing, versatile performance.	49.0mm x 66.0mm	53.0mm x 53.0mm	58mm x 47.2mm				
Compression Ratio:	9.2:1	The TU250X features a competitively high compression ratio that is optimized to provide strong, consistent engine performance and unparalleled reliability, with class-leading fuel efficiency.	10.0:1	9.2:1	N/A				
Engine:	249cc, 4-stroke, air-cooled, single cylinder, OHC	The TU250X's simple single-cylinder 249cc four-stroke powerplant boasts class-leading, state-of-the-art technology like Suzuki fuel injection and Suzuki Composite Electrochemical Material (SCEM) cylinder plating that provides unrivaled power, performance and reliability, yet is lightweight and compact, allowing for a smaller overall chassis dimensions and improved handling, compared to the competition. It boasts 15cc larger displacement than the Honda Rebel, for excellent power, torque and performance.	249cc air-cooled, V-twin, SOHC	234cc air-cooled parallel twin- cylinder; SOHC	249cc, liquid cooled, v-twin, DOHC				
Fuel System:	Suzuki Fuel Injection	The TU250X boasts Suzuki's class-leading fuel injection system – a state-of-the-art performance feature that provides better fuel efficiency, strong throttle response, easy starting and superior reliability. You won't find fuel injection on any of the competition, like the Yamaha V-Star 250 or Honda Rebel, which both have carburetors.	26mm carburetor	26mm carburetor	Carburator				
Final Drive:	Chain, DID520V, 108 links	The TU250X features a class-leading, high quality D.I.D. brand 108-link chain, for unrivaled reliability and performance.	Chain	Chain	Chain				
Transmission:	5-speed constant mesh	The TU250X's constant mesh 5-speed transmission features optimal gear ratios for smooth performance on a variety of roads – from city streets to open highways.	5-speed	5-speed	5-speed				
CHASSIS									
Brakes Front:		The TU250X boasts a high-quality hydraulic front disc brake with dual piston caliper that offers unrivaled stopping power and excellent feel at the lever.	Single disc	Single disc	Single disc				
Brakes Rear:	130mm Drum brake	The TU250X features the proven reliability of a classic-style lightweight rear drum brake system, offering excellent stopping power and maintaining classic retro styling.	Drum brake	Drum brake	Drum brake				
Curb Weight:	148kg (326 lbs.)	The TU250X's is the lightest in it class at 326 lbs. Its five pounds lighter than the Honda Rebel, allowing for easy manuverability for a wide range of riders.	323 lbs.	331 lbs.	418.5 lbs.				

MODEL NAME:	2012 Suzuki	SUZUKI EDGE	2012 Yamaha V-Star 250	2012 Honda Rebel	2012 Kymko Venox 250
	TU250X				
Fuel Tank Capacity:	12.0L (3.2 US gal.)	The TU250X boasts one of the largest fuel tank capacity in its class with a 3.2-gallon tank that is over half a gallon larger than the Yamaha V-Star 250 and Honda Rebel. This large fuel tank, along with the TU250X's Suzuki fuel injected 249cc engine producing an incredible fuel efficiency, provides the TU250X with an excellent riding range.	2.4 US gal.	2.6 US gal.	3.7 US gal.
Wheelbase:	1375 mm (54.1 in.)	The TU250X's 54.1-inch wheelbase is optimal for a bike its size, 4.6 inches shorter than the Yamaha V-Star 250 and 3 inches shorter than the Honda Rebel, and an amazing 8.9 inches shorter than the Kymco Vernox - providing more responsive handling and better maneuverability on city streets and highway curves.	58.7 in.	57.1 in.	63.0 in.
Overall Length:	2070 mm (81.5 in.)	The TU250X features a more compact frame and shorter wheelbase than the competition, allowing a more comfortable riding position and improved handling. Its 81.5-inch overall length is nearly 5-inches shorter than the Yamaha V-Star 250.	86.2 in.	N/A	N/A
Overall Width:	750 mm (29.5 in.)	The TU250X is over 2.5 inches narrower than the Yamaha V-Star 250 for excellent maneuverability.	27.0 in.	N/A	N/A
Seat Height:	770 mm (30.3 in.)	The TU250X's competitively low 30.3-inch seat height and compact chassis offer an ergonomic riding position for a wide variety of riders without compromising comfort and smooth handling.	27.0 in.	26.6 in.	29 in.
Suspension Front:	Telescopic, coil spring, oil damped	The TU250X features high quality telescopic front forks with chrome plated outer tubes that provide class-leading suspension performance with classic looks and styling.	Telescopic front fork	Telescopic front fork	Telescopic front fork
Suspension Rear:	Dual shocks; swingarm type, coil spring, oil damped, preload adjustable	The TU250X features high quality swingarm style rear shocks with spring preload adjustability and attractive chrome plated exterior for class-leading suspension performance with classic looks and styling.	Dual rear shocks	Dual rear shocks	Dual rear shocks
Tires Front:	90/90-18, tube type	The TU250X boasts a classic-styled spoked chrome front wheel with a high quality 90/90 18 tire that provides excellent traction and class-leading performance on the road.	3.00-18	3.00-18	120/80-17
Fires Rear:	110/90-18, tube type	The TU250X boasts a classic-styled spoked chrome front wheel with a high quality 110/90 18" tire that provides excellent traction and class-leading performance on the road.	130/90-15	130/90-15	150/80-15
Warranty	12 Month Unlimited Mileage Limited Warranty	The TU250X features an industry-leading 12-month unlimited mileage limited warranty with extended protection plans available from Suzuki Extended Protection (SEP).	12 month limited warranty	12 month limited warranty	24 months limited warranty