



Way of Life!

2014



M109R





M109R



MSRP: \$14,999 (B.O.S.S.)

The award-winning Suzuki Boulevard M109R launched to the top of the power cruiser market upon its introduction. Its unrivaled unique style and exhilarating performance – born of championship-winning Suzuki race heritage – have made it the leader in the class.

The Boulevard M109R B.O.S.S.'s un-matched performance begins with its 109-cubic inch (1783cc), Suzuki fuel-injected 54 degree V-twin engine. It's tuned to produce massive torque all the way from idle to redline, which translates into acceleration that you just have to feel to believe. It's the most powerful cruiser Suzuki has ever produced. To reward every one of your senses, the big V-twin resonates a powerful exhaust note—just what you'd expect from the hottest cruiser on the road. Like Suzuki's legendary sport bikes, the Boulevard M109R B.O.S.S. balances extraordinary performance with crisp handling, thanks to a technically advanced chassis and suspension, matched by world-class brakes, all built for effortless cruising across town or across state lines. And when it comes to wrapping that performance package check out its sleek, flowing lines and GSX-R inspired styling touches, and you'll realize that the Boulevard M109R B.O.S.S. is in a class of its own.

Without question, the M109R B.O.S.S. delivers unparalleled performance and gorgeous styling to own the night. The M109R B.O.S.S. has the following features blacked out:

1. Rearview mirrors
2. Handlebars
3. Clutch lever
4. Brake lever
5. Handle switches
6. Front fork outer tubes and more.

For 2014 the M109R B.O.S.S. is offered in a new Marble Daytona Yellow / Glass Sparkle Black.





M109R



TOP 10 FEATURES



The Boulevard M109R B.O.S.S.'s class-leading 1783cc, 8-valve DOHC, 54 degree, liquid-cooled, Suzuki fuel-injected V-twin engine is designed to produce massive tractable power and responsive torque for strong throttle response and quick acceleration for strong, versatile performance on the street or open highway.



Suzuki's class-leading electronic Suzuki fuel injection system features the Suzuki Dual Throttle Valve system (SDTV) with 56mm throttle bodies, which maintains optimum air velocity for smooth low- to midrange throttle response.



The Boulevard M109R B.O.S.S. features a massive 112mm bore and 90.5mm stroke, utilizing huge 112mm forged aluminum alloy pistons with short skirts, and cut away sides riding on blacked-out moly steel connecting rods providing the class-leading torque and horsepower that give the M109R B.O.S.S. such a powerful ride on the highway.



The Boulevard M109R B.O.S.S. uses the Suzuki Advanced Sump System (SASS), which is a compact dry sump lubrication system that provides reduced engine height, a lower crankshaft position and a lower overall center of gravity, for uncompromised performance with excellent handling.



The 2-into-1-into-2 B.O.S.S. exhaust system features Suzuki's digitally controlled Suzuki Exhaust Tuning (SET) system for optimum engine performance and a powerful V-twin sound.



Inverted front forks featuring race-proven cartridge internals with 46mm stanchion tubes provide 5.1 inches of wheel travel for unrivaled suspension performance and excellent handling. A blacked-out swingarm works with a progressive shock linkage and a preload adjustable single rear shock delivers 4.6 inches of wheel travel, working through a reliable shaft drive system that is virtually maintenance-free.



The Boulevard M109R B.O.S.S. front brake system includes race-inspired radial mounted four piston front calipers and 310mm front brake rotors. The rear brake system includes a dual piston caliper and 275mm rear disc, providing the M109R B.O.S.S. with impressive stopping power.



Spiral spoke cast aluminum alloy wheels measure 3.50 x 18 inch up front and a massive 8.50 x 18 inch in the rear. The rear wheel wears a huge 240mm Dunlop radial tire- the largest ever used on a production Suzuki motorcycle, which not only gives the M109R B.O.S.S. an aggressive style and stance, but provides unrivaled grip and handling on the road.



The Boulevard M109R B.O.S.S. is equipped with a sleek yellow-pinstriped and wide fuel tank with a 5.2-gallon fuel capacity that flows into integrated side covers; a comfortable low seat; and a stylish radiator cowl, all of which provide the M109R B.O.S.S. with sleek, aggressive styling and excellent extended-range riding or touring capabilities.



The Boulevard M109R B.O.S.S. features a new instrument cluster with a digital tachometer and LED indicator light; a newly included gear position indicator; and it is now relocated from the handlebars to the top of the headlight cowl, maintaining sleek styling with uncompromised visibility.

SUZUKI EDGE

MODEL NAME:	2014 Suzuki Boulevard M109R B.O.S.S.	SUZUKI EDGE	2014 Honda Sabre	2014 Yamaha Raider	2014 Triumph Rocket III Roadster (ABS)	2014 Thunderbird Commander	2014 Yamaha VMAX
--------------------	---	--------------------	-------------------------	---------------------------	---	-----------------------------------	-------------------------

MSRP:	\$14,999 (B.O.S.S.)	The Boulevard M109R B.O.S.S. offers an unbeatable value representing the most complete muscle cruiser package, boasting aggressive cruiser styling and more state-of-the-art performance features than the competition, like Suzuki Dual Throttle Valve (SDTV) fuel injection, and a powerful liquid-cooled 1783cc engine, at a unbelievably low MSRP - \$691 lower than the Yamaha Raider \$700 lower than the Triumph Rocket III and an amazing \$3,691 lower than the Yamaha VMAX.	\$12,150 Stateline \$12,250 Sabre \$13,240 Interstate	\$14,990 \$15,790 Raider S \$16,990 Raider SCL	\$14,999 \$16,999 Touring	\$15,699	\$17,990
--------------	---------------------	---	---	--	------------------------------	----------	----------

ENGINE

Engine:	1783cc liquid-cooled, 54-degree V-twin, 4-stroke, 16-valve, DOHC	The Boulevard M109R B.O.S.S.'s 1783cc 4-stroke engine features a powerful combination of 471cc more displacement than the Honda Sabre, double overhead cam (DOHC) design and reliable liquid-cooling. Features you will not find on the Honda Sabre, the Yamaha Raider or Victory 8-Ball.	1312cc liquid-cooled, 52-degree, V-twin, SOHC	1854cc air-cooled, 48-degree, V-twin, OHV	2294 cc liquid cooled, in-line 3 cylinder, DOHC	1699cc liquid cooled, parallel twin, DOHC	1679cc liquid-cooled, 65-degree, V-4, DOHC
----------------	--	---	---	---	---	---	--

Bore Stroke:	112.0mm x 90.5mm	The Boulevard M109R B.O.S.S. engine produces a massive amount of torque and horsepower while minimizing friction and crank stress, for unrivaled acceleration and performance on the streets or highway. The 112mm piston is one of the largest reciprocating gasoline engine pistons being used in any production passenger car or motorcycle, while featuring race-proven design to reduce friction and inertial mass.	89.5mm x 104.3mm	100.0mm x 118.0mm	101.6mm x 94.3mm	107.1mm x 94.3mm	90mm x 66.0mm
---------------------	------------------	--	------------------	-------------------	------------------	------------------	---------------

Compression Ratio:	10.5:1	With its 10.5:1 compression ratio, the Boulevard M109 boasts one of the highest compression ratio in its class - 1.3 higher than the Honda Sabre and 1.0 higher than the Yamaha Raider, resulting in more low-end torque and power to own the highway.	9.2:1	9.5:1	N/A	N/A	11.3:1
---------------------------	--------	--	-------	-------	-----	-----	--------

Fuel System:	Suzuki Dual Throttle Valve (SDTV) Fuel Injection, 56mm throttle bodies	The Boulevard M109R B.O.S.S. uses the class-leading, state-of-the-art Suzuki Dual-throttle Valve (SDTV) fuel injection system, a Suzuki-exclusive developed from high-performance racing technology, that features 56mm throttle bodies that maintain optimum air velocity for excellent power control, throttle response and smooth operation.	PGM-FI 38mm throttle body	EFI 43mm throttle body	EFI	EFI	EFI 48mm throttle body
---------------------	--	---	---------------------------	------------------------	-----	-----	------------------------

SUZUKI EDGE

MODEL NAME:	2014 Suzuki Boulevard M109R B.O.S.S.	SUZUKI EDGE	2014 Honda Sabre	2014 Yamaha Raider	2014 Triumph Rocket III Roadster (ABS)	2014 Thunderbird Commander	2014 Yamaha VMAX
Final Drive:	Shaft Drive	The Boulevard M109R B.O.S.S. features a reliable shaft-drive system that is nearly maintenance-free and provides durable performance with minimal loss of power.	Shaft	Belt	Shaft	Belt	Shaft
Transmission:	5-speed constant mesh	The M109R B.O.S.S. boasts a strong 5-speed constant mesh transmission with optimal, gear ratios for impressive acceleration and powerful performance on the open highway.	5-speed	5-speed	5-speed	6-speed	5-speed
CHASSIS							
Brakes Front:	Dual 310mm discs, lightweight radial-mount calipers.	The Boulevard M109R B.O.S.S. dual 310mm discs features high-quality lightweight radial-mounted brake calipers for superior stopping power and braking performance to match its impressive muscle cruiser styling.	Single disc 336mm	Dual disc 298mm	Dual disc 320mm	Dual Disc 310mm	Dual disc 320mm
Brakes Rear:	Single 275mm disc, lightweight dual-piston caliper	The Boulevard M109R B.O.S.S. features a rear disc brake with a lightweight dual piston caliper and 275mm rotor for superior stopping power and braking performance than the competition.	Single disc 296mm	Hydraulic disc 310mm	Single disc 316mm	Single Disc 310mm	Single disc 298mm
Curb Weight:	764 lbs (347 kg)	The M109 produces an excellent power-to-weight ratio for unrivaled performance.	664 lbs	730 lbs 750 lbs (SCL)	810 lbs	767 lbs. (wet)	683 lbs
Fuel Tank Capacity:	5.2 US gal.	The Boulevard M109R B.O.S.S. boasts the highest fuel tank capacity in its class at 5.2 gallons – that’s nearly a gallon more than the Honda Sabre and Yamaha Raider. This large fuel tank, along with the M109R B.O.S.S.’s efficient 1783cc engine with Suzuki Dual Throttle Valve (SDTV) fuel injection that produces impressive fuel efficiency, offering excellent extended-range riding or touring capabilities.	4.4 US gal.	4.2 US gal.	6.3 US gal.	5.8 US gal.	4.0 US gal.
Wheelbase:	67.3 in. (1710mm)	The Boulevard M109R B.O.S.S. has an optimal wheelbase of 67.3 inches – over 3 inches shorter than the Yamaha Raider and Honda Sabre, offering superior handling and maneuverability on the road than the competition.	70.3 in.	70.9 in.	66.7 in.	65.5 in.	66.9 in.
Overall Length:	95.5 in. (2450mm)	Long and lean, the Boulevard M109R B.O.S.S. features an elongated stance offering straight line stability and responsive handling to match its impressive power and performance.	N/A	101.2 in.	98.3 in.	96.1 in.	94.3 in.

SUZUKI EDGE							
MODEL NAME:	2014 Suzuki Boulevard M109R B.O.S.S.	SUZUKI EDGE	2014 Honda Sabre	2014 Yamaha Raider	2014 Triumph Rocket III Roadster (ABS)	2014 Thunderbird Commander	2014 Yamaha VMAX
Overall Width:	34.4 in. (875mm)	At a class-leading 34.4 inches, the Boulevard M109R B.O.S.S. is 2.4 inches less wide than the Yamaha Raider for superior maneuverability on the highway.	N/A	36.4 in.	38.2 in.	38.9 in.	32.3 in.
Seat Height:	27.8 in. (705mm)	A competitively-low 27.8 seat height compliments the Boulevard M109R B.O.S.S.'s long wheelbase and narrow width for a comfortable riding position that inspires confident control over the bike on the highway or city streets.	26.9 in.	27.4 in.	29.5 in.	28.0 in.	30.5 in.
Suspension Front:	46mm inverted telescopic fork, coil spring, oil damped, 5.1 inches of travel	Proven Suzuki front suspension technology gives the Boulevard M109R B.O.S.S. a smooth, comfortable ride with through inverted 46mm stanchion tubes that provide 5.1 inches of wheel travel - that's 1.1 inches more travel than found on the Honda Sabre 1300 & .4 inches more than on the Triumph Rocket III, Thunder Commander, & Yamaha VMAX.	41mm inverted fork, 4.0 in. of travel	46mm telescopic fork, 5.1 in. of travel	43mm telescopic fork, 4.7 in. of travel	47mm Showa forks, 4.7 in. of travel	52mm telescopic fork, 4.7 in. of travel
Suspension Rear:	Single shock, link type, coil spring, oil damped, 4.6 inches of travel	A lightweight preload-adjustable rear shock delivers a class-leading 4.6 inches of wheel travel – over half an inch more than the Honda Sabre and over an inch more than the Yamaha Star Raider and Victory Hammer 8-Ball, providing the Boulevard M109R B.O.S.S. with a confident, supportive ride without adding the weight of a heavy dual-shock system.	Single shock; 3.9 in. of travel	Swingarm 3.5 in. of travel	Twin shocks; 4.1 in. of travel	Twin shocks, 4.2 in. of travel	Single shock, 4.2 in. of travel
Tires Front:	130/70R18M/C 63V, tubeless	A large 130/17-18 front tire on the Boulevard M109R B.O.S.S. is wider than what is found on the Yamaha Star Raider & Honda Sabre 1300, delivering outstanding feedback and grip for all types of road conditions.	90/90-21	120/70-21	150/80-17	140/75-17	120/70-18
Tires Rear:	240/40R18M/C 79V, tubeless	The Boulevard M109R B.O.S.S. features the widest and class leading 240/40-18 rear tire ever used on a SUZUKI motorcycle to grasp the road and provide superior handling on the road, as well as give the M109R B.O.S.S. impressive stance and style.	170/80-15	210/40-18	240/50-16	200/50-17	200/50-18
Warranty	12 month unlimited mileage limited warranty	The Boulevard M109R B.O.S.S. features Suzuki's industry-leading 12 month unlimited mileage limited warranty with extended protection plans available from Suzuki Extended Protection (SEP).	12 month limited warranty	12 month limited warranty	24 month limited warranty	24 month limited warranty	12 month limited warranty