

CHAMPIONSHIP YELLOW NO. 2

RM-Z450

- // Exceptional handling from the light aluminum frame and swingarm
- // Fuel-injected engine delivers excellent throttle response and strong peak power
- // Showa coil spring fork and a BFRC shock that has new spring rates and settings
- // The advanced S-HAC and traction management systems help you take the lead
- // Aggressive styling blends rider-friendly ergonomics with Suzuki racing identity

2019





THE 2019 RM-Z450 REMAINS THE CHAMPION'S CHOICE, AS ITS SLEEK, RACE-READY APPEARANCE, STRONG ENGINE, AND NIMBLE CHASSIS CONTINUE THE SUZUKI TRADITION OF EXTRAORDINARILY PRECISE HANDLING.

THE RM-Z450 EPITOMIZES SUZUKI'S WINNING BALANCE PHILOSOPHY WITH STRONG BRAKES FOR CONTROLLED STOPPING POWER, A WIDE SPREAD OF ENGINE MUSCLE WITH HIGH PEAK POWER, AND A STRONG, LIGHT, AND MORE NIMBLE CHASSIS THAT REMAINS THE CLASS STANDARD FOR CORNERING PERFORMANCE.

ENLIST IN THE RM ARMY AND ENJOY SUZUKI AMATEUR RACING SUPPORT!

SUZUKI'S RM ARMY AND AMATEUR RACING SUPPORT IS TOP NOTCH,
OFFERING OVER \$3.8 MILLION IN CONTINGENCY, TRACKSIDE SUPPORT,
AND THE OPPORTUNITY TO TRAIN WITH RICKY CARMICHAEL AT SUZUKI'S
EXCLUSIVE CAMP CARMICHAEL. WANT TO SEE WHY CHAMPIONS
CHOOSE SUZUKI? VISIT RACESUZUKI.COM FOR MORE INFORMATION
ON SUZUKI'S AMATEUR SUPPORT PROGRAM AND ENLIST IN THE RM ARMY!



RM-Z450 / FEATURES

KEY FEATURES

- // Exceptional Engine Performance
 - o Great throttle response delivers high peak power.
 - o Evolved traction management system helps the bike hook up.
 - o Suzuki Holeshot Assist Control (S-HAC) gets you out front.
- // Advanced Cornering Performance
 - o Frame and swingarm balance lightness with strength.
 - \circ Chassis dimensions blend nimble handling with stability.
 - \circ Coil spring fork provides great performance and easy tuning.
 - Showa BFRC (Balance Free Rear Cushion) shock with new spring rate and settings delivers remarkable damping response.
 - o Bridgestone X30 tires bring outstanding grip.
- // Real Braking Performance
 - \circ Large 270mm front brake rotor increases stopping power and feel.
 - Compact rear master cylinder is designed to prevent mud from collecting on it and from catching on the rider's boots.
- // Functional Styling
 - \circ Aggressive styling blends function with Suzuki character.
 - \circ Narrow cockpit lets rider move with ease for maximum racing performance.

ENGINE FEATURES

- // The 449cc, liquid-cooled, four-stroke, four-valve, DOHC engine is the latest incarnation of Suzuki's proven and reliable fuel-injected powerplant.
- // The engine has high peak horsepower with strong torque at lower engine speeds for excellent throttle response through the entire rev range.
- // The cylinder head intake port shape creates a high amount of tumble flow to the incoming fuel/air to increase power output.
- // The air cleaner's large and straight opening creates a more direct air path to the throttle body to increase performance.

- // Suzuki's advanced fuel-injection system creates extra-smooth power delivery, high fuel efficiency, and superb reliability.
- // The RM-Z450's throttle body design locates the fuel injector, fed by a highpressure fuel pump, so it sprays fuel directly at the butterfly valve to improve atomization of the fuel/air charge.
- // This throttle body design eliminates complex control linkage, so the rider feels a more direct connection to the engine.
- // The intake camshaft profile has more valve lift than the prior generation RM-Z450, increasing power at all engine speeds.
- // The compact aluminum cylinder is finished with Suzuki Composite Electrochemical Material (SCEM) coating for durability, light weight, and efficient heat transfer.
- // The piston's casting includes strengthening ribs near the wrist pin bosses to match component reliability to the engine's high horsepower.
- // Engine starting is simple and efficient due to a long kickstarter lever, well-matched internal gear ratios, a large air cleaner and breather system, plus an automatic decompression system that works precisely and efficiently (eliminating the need for a heavy and costly electric start system).
- // The high-flow exhaust system complies with AMA sound regulations.
- // Tough resin engine protectors help guard the coolant pump (on the right) and the stator cover (on the left) from debris and stones.

TRANSMISSION & DRIVE FEATURES

- // The well-sorted, five-speed transmission enables precise gear shift operation. This precise transmission feel is the result of an accurately machined shift cam for exact gear selection. Specialized machining processes also increase the precision of the matching gears.
- // The multi-plate, wet-clutch uses rack-and-pinion clutch release mechanism for precise feel of the engagement and disengagement points while riding.
- // The lightweight chain guide is shaped to accurately route the drive chain smoothly.



2019





RM-Z450 / FEATURES

ADVANCED ELECTRONICS

- // The 2019 RM-Z450 features an evolved and efficient traction management system. The Electronic Control Module (ECM) continually measures throttle opening, engine speed, and gear position and then adjusts the ignition timing and fuel injector duration to fine-tune the engine output to deliver the best traction for the riding conditions.
 - The RM-Z450's traction management system is different from a street bike traction control system, as it does not measure rear tire spin. Because the needs of a motocrosser are different than a street bike, this system offers constant adjustment that maximizes traction at all times.
- // The Suzuki Holeshot Assist Control (S-HAC) is a selectable launch system derived from the factory race bike to help riders' takeoff from the starting gate for an early lead. There are three launch modes riders can choose for the best option per their skill level and starting conditions. There are also three stages to Mode A and Mode B of the S-HAC system. This helps riders at the moment of launch, when crossing the gate, and through acceleration to the full speed. The S-HAC settings for Mode A on the RM-Z450 are specially tuned to aid the rider's throttle control during launches.
 - Mode A: For hard surfaces or slippery conditions at the starting gate. In
 this mode, S-HAC alters ignition timing at the moment of launch and the
 ride over the gate to reduce wheel slip to deliver a smooth takeoff. It also
 advances ignition timing during this sequence for stronger acceleration.
 After six seconds or when you reach fourth gear, the system shuts off and
 returns to normal ignition timing.
 - Benefit of Mode A: For novice riders, and/or hard and slippery traction conditions, use Mode A for a more controlled launch.
 - Mode B: When conditions at the starting gate have better traction, and a more aggressive launch is desired. S-HAC will advance the ignition timing to allow increased throttle response and stronger acceleration off the line. The ignition timing alternation is in a similar sequence as Mode A, but with increased overall timing. The system will return the ignition to normal operation in three situations (whichever happens first): After six seconds, when you reach fourth gear, or when the throttle is closed. The system then shuts off and returns to normal ignition timing.
 - Benefit of Mode B: For skilled riders, and/or good starting conditions, use Mode B for a more aggressive launch.
 - \circ Base Mode: Standard power launch, no action required on the S-HAC switch.
- // Designed for motocross use, the lightweight, battery-less, electronic fuel injection system is key to the engine's efficient power delivery.
- // Easy-to-use fuel couplers are included to simplify EFI tuning.
 - For quick fuel adjustments to suit riding conditions, two couplers are provided. By plugging in either of two additional fuel-setting couplers to the wire harness, riders can opt for a richer-than-stock or leaner-than-stock fuel setting.

CHASSIS FEATURES

- // The RM-Z450's twin-spar frame and twin-beam swingarm design continues Suzuki's tradition of delivering the best-handling motocross machines available.
- // This aluminum alloy, twin-spar frame combines cast and extruded sections to achieve superior front-and-rear weight distribution while balancing strength and weight.
- // The frame is 700 grams (1.32 pounds) lighter than the prior generation RM-Z450 to improve cornering performance and shock absorption while delivering stable handling.
- // The swingarm is assembled with thin, yet strong, materials for improved cornering performance and stable handling.
- // The short wheelbase and frame head pipe location produces quick and nimble handling characteristics.

- // Hexagonal aluminum rails are used on the sub-frame for light weight, a slimmer appearance, and easier air filter service.
- // The sub-frame rails route inward to slim the bodywork, but also route upwards to provide additional space for the large air cleaner and the advanced BFRC shock absorber.
- // Like the trim sub-frame, all of the bodywork is slim to enable the RM-Z450 rider to move freely in the cockpit, especially during spirited riding.
- // Inspired by the advanced suspension from the GSX-R1000R Superbike, the RM-Z450 is fitted with a Showa BFRC shock absorber.
- // The BFRC uses a separate, external damping circuit that improves the responsiveness of damping force to deliver excellent traction and better absorption over bumps.
- // The fully adjustable BFRC controls damping so well during minute suspension movements that ride comfort is increased at lower speeds, while stability is enhanced at higher speeds.
- // The 2019 RM-Z450's BFRC shock has a new spring rate and corresponding damping force settings to produce even better handling characteristics.
- // The new generation Showa coil spring front fork has large inner tubes and rod pipes for strength and durability.
- // Springs in each fork leg combine with large, adjustable damping cylinders to deliver better response to the terrain and provide a strong feeling of control to the tider.
- // Front suspension tuning and maintenance is balanced and easy: a great benefit during frequent riding. New compression damping force settings for the fork also contribute to improved handling on the 2019 RM-Z450.
- // The strong Renthal aluminum tapered handlebar has a straighter bend than prior models to help aid the rider during aggressive maneuvering.
- // The light upper fork bracket was developed to complement the Showa coil spring front suspension and handlebars.
- // For effective stopping performance and feel, a large 270mm, wave-style front brake rotor with twin piston caliper are used.
- // The trim rear brake master cylinder hugs the frame beam to reduce ditt contamination and the chance of the rider's boot touching it during riding.
- // To support the strong engine, braking, and handling performance of the RM-Z450, the bike is fitted with racetrack-developed Bridgestone Battlecross
- // The wheels feature black anodized rims with a cross-section design that maintains strength while reducing un-sprung weight.
- // Suzuki beak-inspired styling has a sharper front fender and radiator shrouds blending into side covers and an upswept tail, to promote the impression of speed while reducing weight and easing service.
- // The functional styling and the motorcycle's trim chassis permit a variety of rider positions that facilitate control and comfort.
- // The plastic fuel tank weighs a half-pound less than the prior generation's aluminum tank. Fuel capacity is an ample 1.7 US gallons.
- // The seat base, inner fenders, and side covers were developed to reduce the amount of moisture and dirt that gets to the air cleaner. This helps prevent debris from contaminating the air filter element.
- // Made with a special density foam, the seat is well shaped and slim to aid the rider's control of the motorcycle. The seat has a large blue gripper panel that runs nose-to-tail on the cover.
- // The Championship Yellow bodywork is enhanced with a new 2019 graphics package that features distinctive striping and Suzuki logos.
- // See Suzuki's industry-leading Amateur Contingency Program at www.SuzukiCycles.com/Racing.
- // For more details, please visit www.suzukicycles.com.



RM-Z450 / SPECS

ENGINE

Engine: 449cc, 4-stroke, liquid-cooled,

single cylinder, DOHC

Bore x Stroke: 96.0 mm x 62.1 mm (3.78 in. x 2.40 in.)

Compression Ratio: 12.5:1

Fuel injection, 44mm throttle body **Fuel System:**

Starter: Primary kickstarter with automatic decompressor

Lubrication: Semi-dry sump

DRIVE TRAIN

Wet multi-plate Clutch:

Transmission: 5-speed constant mesh

Final Drive: Chain, DID 520DMA2K, 114 links

CHASSIS

Suspension, Front: Inverted telescopic, coil spring, oil damped,

adjustable damping force

Suspension, Rear: BFRC-link type, coil spring, oil damped,

adjustable spring preload and damping force

Brake, Front: Disc brake, single rotor Brake, Rear: Disc brake, single rotor 80/100-21 M/C 51M, tube type Tire, Front: Tire, Rear: 110/90-19 M/C 62M, tube type

Fuel Tank Capacity: 6.3 L (1.7 US gal.)

ELECTRICAL

Ignition: Electronic ignition (CDI) NGK DIMR8C10 Spark Plug:

DIMENSIONS

Overall Length: 2175 mm (85.6 in.) **Overall Width:** 835 mm (32.9 in.) 1260 mm (49.6 in.) Overall Height: Wheelbase: 1480 mm (58.3 in.) Ground Clearance: 330 mm (13.0 in.) **Seat Height:** 960 mm (37.8 in.) 112 kg (247 lb.) **Curb Weight:**





Suzuki Motor of America, Inc. makes every effort to present the most current specifications and product features at the time of publication. Because of our policy of continual improvement, changes may be made in equipment, availability, and specifications without notice or obligation. At Suzuki, we want every ride to be safe and enjoyable. Always wear a helmet, eye protection, and protective clothing. Never ride under the influence. Inspect your Suzuki before riding. Always supervise young riders. The RM and RM-Z series motorcycles are for closed-course competition and related practices only. Take an MSF skills course. For the street course nearest you, call 1-800-446-9227. For the MSF DirtBike SchoolSM, call 1-877-288-7093. Along with concerned conservationists everywhere, Suzuki urges you to Tread Lightly!® on public and private land. Preserve your future riding opportunities by showing respect for the environment, local laws, and the rights of others when you ride. Ask your participating dealer about Genuine Suzuki Accessories, the Suzuki Retail Finance Plan, and the Suzuki Extended Protection Plan. With the Suzuki Retail Finance Plan, it's easy to afford and equip the machine that's perfect for you. Visti Suzukicycles.com for more information. Suzuki Motor of America, Inc., 3251 East Imperial Highway, P.O. Box 1100, Brea, CA 92822-1100. Suzuki, the "S" logo, and Suzuki model names are Suzuki trademarks or registered trademarks. © 2018 Suzuki Motor of America, Inc.